

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

07/25/2011

Andrius Knasas
Assistant District Attorney, Suffolk County

Dear ADA Knasas,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED]
Included are copies of the following:

1. Curriculum Vitae for Annie Dookhan, & Lisa Glazer.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Lisa Glazer was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan".

Annie Dookhan
Chemist II
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6631

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry.

University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Maintenance and repairs of all analytical instruments.

*Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.

*Oversee the Quality Control/Quality Assurance program for the Drug Lab.

*Writing, revising and reviewing Standard Operating Procedures (SOPs) and Protocols.

*Notary Public.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.

*Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.

*Writing, revising and reviewing Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP training with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS trainings with Agilent Technologies and Restek.

HPLC and LC/MS/MS trainings with Waters Cooperation.

FTIR training with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Lisa A. Glazer

Education

Bachelor of Science Degree, CHEMISTRY January 2006

UNIVERSITY OF NEW HAVEN

Coursework included: Organic Chemistry, Inorganic Chemistry, Quantitative Analysis, Instrumental Analysis, Physical Chemistry, Physics, Calculus

Bachelor of Science Degree, FORENSIC SCIENCE January 2006

UNIVERSITY OF NEW HAVEN

Coursework included: Organic Chemistry, Quantitative Analysis, Instrumental Analysis, Physical Chemistry, Physics, Calculus, Biology, Criminal Justice and Forensic Science courses

Employment

Chemist I, II State Laboratory Institute (May 2007-Present)

Massachusetts Department of Public Health

Drug Analysis Laboratory

- Responsible for the identification of substance to determine violation of the Massachusetts drug laws
- Operate analytical instrumentation for the purpose of performing forensic drug analysis
- Successfully completed an eight week training course in the analysis of drugs conducted by senior staff of the Department of Public Health, Drug Analysis Laboratory
- Appointed an assistant analyst for the Department of Public Health, Drug Analysis Laboratory in 2007.

Laboratory Technician I (August 2006 – May 2007)

University of Connecticut Chemistry Department - Storrs, CT

- Prepared unknowns, chemical reagents and supplies for undergraduate chemistry courses
- Set-up experiment demonstrations
- Properly disposed of hazardous waste from the experiments
- Made sure labs were being conducted safely
- Kept track of student laboratory paperwork, inventoried glassware and chemicals and helped clean glassware

Intern (September 2005 – November 2005)

CONNECTICUT STATE POLICE FORENSIC LABORATORY - Meriden, CT

- Worked on a Pyrolysis Gas Chromatography project
- Observed in the GSR testing, Forensic Biology, DNA, Questioned Documents, Black and White Photo, Latent Prints, Firearms, Trace Evidence and Color Photo Units

DRUG RECEIPT

CC #

BOOK #

153

PAGE #

160

DESTRUCTION #

District/Unit

B-2 / Youth Violence Strike Force

Name & Rank of Arresting Officer

Sgt. James W. Miller

ID#

11826

DEFENDANT'S NAME

ADDRESS

CITY

STATE

East Boston

MA

DESCRIPTION OF ITEMS SUBMITTED

GROSS
QUANTITY

LAB USE ONLY

GROSS
WEIGHTANALYSIS
NUMBER


Oxycodone - Blue Pills

50

9.13 gm

To be completed by ECU personnel only

Name and Rank of Submitting Officer



ID#

9370

Received by



Date

4.21.11

ECU Control #

No. [REDACTED] Date Analyzed: 6/7/11
City: Boston D.C.U. Police
Officer: P.O. Diana Lopez

Def: [REDACTED]
Amount: 50 Subst: TAB
No. Cont: 1 Cont: pb

Date Rec'd: 04/21/2011 No. Analyzed:

Gross Wt: 9.130 Net Wt: 5.05
#Tests: 2980

Prelim: oxycodone Findings:
B

• 40AG
Oxycodone

DRUG POWDER ANALYSIS FORM


SAMPLE # [REDACTED] AGENCY Boston ANALYST ASD

No. of samples tested: _____

Evidence Wt. _____

PHYSICAL DESCRIPTION:

50 blue round tablet
17-196



Gross Wt (): _____

Gross Wt (): _____

Pkg. Wt: _____

Net Wt: 5.0396

2 analyzed.

PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate () _____

Marquis _____

Froehde's _____

Mecke's _____

Microcrystalline Tests

Gold
Chloride _____

TLTA () _____

OTHER TESTS

Muonex A 10

PRELIMINARY TEST RESULTS

RESULTS Oxycodone

DATE 6-2-11

GC/MS CONFIRMATORY TEST


RESULTS Oxycodone

MS
OPERATOR LAG

DATE 6-7-11

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790876.D
Operator : LAG
Date Acquired : 4 Jun 2011 6:41
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790877.D
Operator : LAG
Date Acquired : 4 Jun 2011 6:54
Sample Name : OXYCODONE STD
Submitted by :
Vial Number : 77
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------



6.456	463347	100.00	100.00
-------	--------	--------	--------

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790877.D
Operator : LAG
Date Acquired : 4 Jun 2011 6:54
Sample Name : OXYCODONE STD
Submitted by :
Vial Number : 77
AcquisitionMeth: DRUGS.M
Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.46	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790878.D
Operator : LAG
Date Acquired : 4 Jun 2011 7:07
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790879.D
 Operator : LAG
 Date Acquired : 4 Jun 2011 7:20
 Sample Name : BLANK
 Submitted by : ASD
 Vial Number : 2
 AcquisitionMeth: DRUGS.M
 Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790880.D
 Operator : LAG
 Date Acquired : 4 Jun 2011 7:33
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 80
 AcquisitionMeth: DRUGS.M
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
6.456	999273	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790880.D
Operator : LAG
Date Acquired : 4 Jun 2011 7:33
Sample Name : XXXXXXXXXX
Submitted by : ASD
Vial Number : 80
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L


PK#	RT	Library/ID	CAS#	Qual
1	6.46	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Area Percent / Library Search Report

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790881.D
Operator : LAG
Date Acquired : 4 Jun 2011 7:46
Sample Name : BLANK
Submitted by : ASD
Vial Number : 2
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790882.D
Operator : LAG
Date Acquired : 4 Jun 2011 8:00
Sample Name : BLANK
Submitted by : ASD
Vial Number : 2
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790883.D
 Operator : LAG
 Date Acquired : 4 Jun 2011 8:13
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 83
 AcquisitionMeth: DRUGS.M
 Integrator : RTE





Ret. Time	Area	Area %	Ratio %
6.456	858171	100.00	100.00

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790883.D
Operator : LAG
Date Acquired : 4 Jun 2011 8:13
Sample Name : XXXXXXXXXX
Submitted by : ASD
Vial Number : 83
AcquisitionMeth: DRUGS.M
Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.46	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99



Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790655.D
Operator : LAG
Date Acquired : 4 Jun 2011 13:13
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790656.D
Operator : LAG
Date Acquired : 4 Jun 2011 13:26
Sample Name : OXYCODONE STD
Submitted by :
Vial Number : 77
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

6.450	456231	100.00	100.00
-------	--------	--------	--------

Information from Data File:

File Name : C:\msdchem\1\data\SYSTEM6\06_03_11\790656.D
Operator : LAG
Date Acquired : 4 Jun 2011 13:26
Sample Name : OXYCODONE STD
Submitted by :
Vial Number : 77
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST08.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	6.45	C:\Database\NIST08.L		
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99
		Oxycodone	000076-42-6	99

